



ENVIRONMENTAL CONSULTANTS

4169 Allendale Parkway  
Buffalo, New York 14219  
(P) 716-312-0070 (F) 716-312-8092  
www.stohlenvironmental.com

---

A MEMBER OF THE STOHL GROUP OF COMPANIES

November 16, 2016

Mr. David Spacone  
City School District of the City of Niagara Falls  
Director of Facilities  
630 66<sup>th</sup> Street  
Niagara Falls, New York 14304

**RE: Investigation and Sampling of Drinking Water for Lead Concentrations**

Dear Mr. Spacone:

Included with this letter is Stohl Environmental LLC's report for the Water Sampling performed at the educational buildings of the City School District of the City of Niagara Falls, including:

- Niagara Street Elementary School, 2513 Niagara Street, Niagara Falls, New York.

This report is prepared to assist the District in complying with the requirements of NYS regulations, *SUBPART 67-4: Lead Testing in School Drinking Water*, by identifying the sources of potable water with lead concentrations greater than or equal to the NYS "Action Level of 15 parts per billion (ppb)".

The Investigation and Sampling was performed on September 24, 2016. The Protocol for the Investigation followed the requirements of NYS regulations as well as USEPA Technical Guidance Document "3-T's for Reducing Lead in Drinking Water in Schools".

As detailed in Section 1.2 (*Executive Summary*) of the accompanying report, based upon the sampling and analysis performed, 3 sources of potable water in the Niagara Street Elementary School Building have been identified as having lead concentrations in water above the NYS Action Level of 15 parts per billion. To comply with NYS regulations, Response actions as identified in this report by the District are required.

Thank you for the opportunity to be of service to City School District of the City of Niagara Falls.

Sincerely,  
Stohl Environmental, LLC.

A handwritten signature in black ink, appearing to read "William K. Sisco".

William K. Sisco  
PROJECT MANAGER

**Investigation and Sampling  
Of Sources of Potable Water  
For Lead Concentrations**

**Prepared for:**

**Mr. David Spacone  
City School District of the City of Niagara Falls  
Director of Facilities  
630 66<sup>th</sup> Street  
Niagara Falls, New York 14304**

**Prepared by:**



**ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES**

**4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219**

**☎ (716) 312-0070 📠 (716) 312-8092**

**[www.stohlenvironmental.com](http://www.stohlenvironmental.com)**

**Conditions as of September 24, 2016**

## Summary Tabulation

### Lead in Drinking Water Investigation

- 1.1. Scope of Work and Sampling Protocol
- 1.2. Executive Summary of Sampling and Analysis
- 1.3. Response Actions Required Under NYS Regulations
- 1.4. Laboratory Analytical Reports by Building
- 1.5. Laboratory Certifications
- 1.6. Chains of Custody

## 1.1 Sampling Protocol and Summary of Results:

Stohl Environmental was retained by City School District of the City of Niagara Falls to perform sampling and analysis of potable water for elevated lead concentrations. Sampling was performed in the following buildings:

- Niagara Street Elementary School, 2513 Niagara Street, Niagara Falls, New York.

### Scope of Work:

Stohl Environmental was charged with collecting first-draw water samples from all outlets in Niagara Street Elementary School. Outlets are defined in NYS regulations as: “a potable water fixture currently or potentially used for drinking or cooking purposes, including but not limited to a bubbler, drinking fountain, or faucets”.

### Sampling Protocol:

In accordance with NYS regulations, **Subpart 67-4: Lead Testing in School Drinking Water**, and the EPA guidance document, **‘3Ts for Reducing Lead in Drinking Water in Schools’**, Stohl Environmental’s protocol can be summarized as follows:

- **First-draw samples** of 250 milliliters (mL) were collected from cold water outlets before any water was used. Sampling was coordinated with District representatives to assure that water was motionless in the pipes for a minimum of 8 hours, but not more than 18 hours before sample collection.
- **Service Connection Sampling:** Samples were collected at the service connection as follows:
  - **Service Connection Sample:** As detailed in EPA guidance documents, this sample is not a first-draw sample. The cold water tap closest to the service connection was opened, and the sample was collected immediately after a change in water temperature was detected, or after 30 seconds.
  - **Water Main Sample:** This sample was collected at the same location as the Service Connection sample; however, it was collected after water was allowed to run an additional 3 minutes after the temperature change, but not more than 3 minutes and 30 seconds.
- **Laboratory Analysis:** Samples were submitted following strict chain-of-custody protocols to an independent laboratory approved by the NYS Department of Health’s Environmental Laboratory Approval Program (ELAP).

A MEMBER OF THE STOHL GROUP OF COMPANIES

## 1.2 Executive Summary of Sampling and Analysis:

### Total Number of Samples Collected by Building Classified by First Draw & Confirmatory Samples:

Building Name	Date of Sample Event	Total Number Samples Collected	First Draw Samples		Confirmatory Samples **	
			Number of Samples Below Action level of 15 ppb	Number of Samples Above Action Level of 15 ppb	Number of Samples Below Action level of 15 ppb	Number of Samples Above Action Level of 15 ppb
Niagara Street Elementary School	09/24/16	140	137	3	0	0

\*\* Confirmatory samples are samples collected subsequent to "Step 1" First Draw samples to verify initial findings of lead contamination, to assist in problem assessment to determine remediation and/or verify that lead levels are at or below action level post-remediation.

### Listing of Outlets Requiring Remediation

Locations of Outlets Analyzed above the NYS Action Level of 15 parts per billion based upon Analysis of First Draw Samples and Confirmatory Samples				
Sample #	Sample Type	Classroom or other Location	Fixture/Outlet type	Laboratory Analysis in ppb
111.8-112	First Draw	Kitchen Sink Closest To Employee Room C106	Sink	15.9
111.8-122	First Draw	Kitchen Sink Closest to the Door Adjacent to the Dry Storage Room C107B	Sink	112
111.8-127	First Draw	Generator Area Hose Bib	Hose Bib	23.4

### **1.3 Response Actions Required Under NYS Regulations, Section 67-4.4:**

For outlets analyzed with a lead concentration in excess of the NYS Action Level, regulations require:

- (a) Prohibit use of the outlet until:
  - (1) a lead remediation plan is implemented to mitigate the lead level of such outlet; and
  - (2) test results indicate that the lead levels are at or below the action level;
- (b) provide building occupants with an adequate supply of potable water for drinking and cooking until remediation is performed;
- (c) report the test results to the local health department as soon as practicable, but no more than 1 business day after the school received the laboratory report; and
- (d) notify all staff and all persons in parental relation to students of the test results, in writing, as soon as practicable but no more than 10 business days after the school received the laboratory report.



ENVIRONMENTAL CONSULTANTS

4169 Allendale Parkway  
Buffalo, New York 14219  
(P) 716-312-0070 (F) 716-312-8092  
[www.stohlenvironmental.com](http://www.stohlenvironmental.com)

---

A MEMBER OF THE STOHL GROUP OF COMPANIES

## 1.4 Laboratory Analytical Reports by Building



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 11 rows of metal analysis data for Lead, with results generally below 5.00 µg/L.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.





Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Rows include sample IDs 186520-012 through 186520-022, all for Lead analysis with results <5.00 or 13.7.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 15 rows of analysis data for Lead, all showing results <5.00.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Parameter, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 16 rows of lead analysis data for various sample IDs (186520-034 to 186520-044).

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 15 rows of lead analysis data for various sample IDs (186520-045 to 186520-055).

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Parameter, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 18 rows of analysis data for Lead, all showing results <5.00.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 14 rows of data for Lead analysis across various sample IDs (186520-067 to 186520-077).

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Rows include sample IDs 186520-078 through 186520-088, all showing Lead results <5.00 µg/L.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Parameter, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 15 rows of metal analysis data for Lead.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.





Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Parameter, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 10 rows of lead analysis data for various sample IDs (186520-100 to 186520-110).

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Rows include sample IDs 186520-111 through 186520-121, all for Lead analysis at various kitchen locations, with results ranging from <5.00 to 13.0.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Rows include sample IDs 186520-122 through 186520-132, all for Lead analysis.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst. Contains 12 rows of lead analysis data with results consistently <5.00.

186520-11/15/16 09:37 AM

EPA Regulatory Limits

Table with 3 columns: Parameter, Reg. Limit, Unit. Row: Lead, 15.0, µg/L

Signature: Abisola O Kasali
Reviewed By: Abisola Kasali
Metals Supervisor

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117
804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: Stohl Environmental, LLC (4507)
Address: 4169 Allendale Parkway
Blasdell, NY 14219

Order #: 186520

Matrix: Drinking Water
Received: 09/29/16
Reported: 11/15/16

Attn:
Project: Niagara St. Elem.
Location: 2513 Niagara St. Niagara Falls
Number: 2016-L-111.8

PO Number:

Table with 8 columns: Sample ID, Cust. Sample ID, Location, Method, Result, RL\*, Units, Analysis Date, Analyst

Certifications

Table with 11 columns: Parameter, Method, Matrix, CA, CT, FL, NJ, NY, RI, VA

Key

Table with 3 columns: State, Regulatory Agency - Lab ID, Certificate Number

'X' indicates that the analyte is accredited.

If your state is not listed above, call laboratory for accreditation/certification information.

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and \*Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = µg/kg and Water PPM = mg/L | PPB = µg/L. The test results reported relate only to the samples submitted.



ENVIRONMENTAL CONSULTANTS

4169 Allendale Parkway  
Buffalo, New York 14219  
(P) 716-312-0070 (F) 716-312-8092  
[www.stohlenvironmental.com](http://www.stohlenvironmental.com)

---

A MEMBER OF THE STOHL GROUP OF COMPANIES

## 1.5 Laboratory Certifications

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2017  
Issued September 22, 2016

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2003) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Lead, Total

EPA 200.9 Rev. 2.2



Serial No.: 55043

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2017  
Issued April 01, 2016

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2003) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Lead, Total  
EPA 200.7 Rev. 4.4  
EPA 6010C  
EPA 7000B  
EPA 200.9 Rev. 2.2

**Sample Preparation Methods**

EPA 3010A  
EPA 3005A  
EPA 3020A



Department  
of Health

Serial No.: 54667

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2017  
Issued April 01, 2016

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2003) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Characteristic Testing**

TCLP EPA 1311

**Polychlorinated Biphenyls**

PCB-1268 EPA 8082A

**Metals I**

**Sample Preparation Methods**

Barium, Total EPA 6010C

EPA 3010A

Cadmium, Total EPA 6010C

EPA 3050B

Chromium, Total EPA 6010C

EPA 3550C

Lead, Total EPA 6010C

EPA 3031

EPA 7000B

Nickel, Total EPA 6010C

Silver, Total EPA 6010C

**Metals II**

Antimony, Total EPA 6010C

Arsenic, Total EPA 6010C

Chromium VI EPA 7196A

Mercury, Total EPA 7471B

Selenium, Total EPA 6010C

**Polychlorinated Biphenyls**

PCB-1016 EPA 8082A

PCB-1221 EPA 8082A

PCB-1232 EPA 8082A

PCB-1242 EPA 8082A

PCB-1248 EPA 8082A

PCB-1254 EPA 8082A

PCB-1260 EPA 8082A

PCB-1262 EPA 8082A

NEW  
YORK  
STATE

Department  
of Health

Serial No.: 54668

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2017  
Issued April 01, 2016

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved subcategories and/or analytes are listed below:*

**Miscellaneous**

Asbestos in Friable Material	EPA 600/M4/82/020
Asbestos in Non-Friable Material-PLM	Item 198.6 of Manual (NOB by PLM)
Lead in Dust Wipes	EPA 7000B
Lead in Paint	EPA 7000B

**Sample Preparation Methods**

EPA 3050B



**Serial No.: 54669**

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2017  
Issued April 01, 2016

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS  
All approved subcategories and/or analytes are listed below:*

**Metals I**

Lead, Total NIOSH 7082  
40 CFR PART 50 1984 APP G

**Miscellaneous**

Fibers NIOSH 7400 A RULES



Serial No.: 54670

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



ENVIRONMENTAL CONSULTANTS

4169 Allendale Parkway  
Buffalo, New York 14219  
(P) 716-312-0070 (F) 716-312-8092  
[www.stohlenvironmental.com](http://www.stohlenvironmental.com)

---

A MEMBER OF THE STOHL GROUP OF COMPANIES

## 1.6 Chains of Custody



# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
 4169 ALLENDALE PKWY, BUFFALO, NEW YORK 14219  
 (716) 312-0070 (716) 312-8092  
 www.stohlenvironmental.com

Submitted to: (Lab Name) Schneider

STOHL Job # 2016L-111.8

Client: Niagar Falls CSD

Contact: Dave Spacone

Building: Niagara St. Elem.

Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
 Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X

Turnaround  
5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-1	Boiler Room	HB	11:26	NA		
111.8-2	Boiler Room	HB	11:31	NA		
111.8-3	RM 315	S	8:34	NA		
111.8-4	RM 315	B	8:34	NA		
111.8-5	RM 314	S	8:36	NA		
111.8-6	RM 314	B	8:36	NA		
111.8-7	RM 313	S	8:42	NA		
111.8-8	RM 313	B	8:42	NA		
111.8-9	RM 311	S	8:44	NA		
111.8-10	RM 311	B	8:44	NA		
111.8-11	RM 312	S	8:46	NA		
111.8-12	RM 312	B	8:46	NA		
111.8-13	RM 310	S	8:48	NA		
111.8-14	RM 310	B	8:48	NA		
111.8-15	RM 309	S	8:50	NA		
111.8-16	RM 309	B	8:50	NA		
111.8-17	RM 307	S	8:52	NA		
111.8-18	RM 307	B	8:52	NA		

186520 S 140  
  
 V:186\186520  
 fghraizi 9/29/2016 2:45:00 PM  
 Federal Express 78420 J410981

Notes:  
 Please e-mail lab results to labs@stohlenv.com  If checked, also e-mail results to:

Sampled By: Pete Zaffram Print Name Pete Zaffram Stohl Env: Pete Zaffram Date: 9/24/2016  
 Relinquished By: Eric Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 9/27/2016  
 Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 QA/QC Review (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
 4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219  
 (716) 312-0070 (716) 312-8092  
 www.stohlenvironmental.com

Submitted to: (Lab Name) Schneider  
 STOHL Job # 2016L-111.8

Client: Niagar Falls CSD Contact: Dave Spacone  
 Building: Niagara St. Elem. Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
 Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X Turnaround 5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-19	RM 308	S	8:55	NA		
111.8-20	RM 308	B	8:55	NA		
111.8-21	RM 300	S	8:56	NA		
111.8-22	RM 300	B	8:56	NA		
111.8-23	RM 305	S	8:58	NA		
111.8-24	RM 305	B	8:58	NA		
111.8-25	Bathroom 304	S	9:02	NA		
111.8-26	Bathroom 306	S	9:02	NA		
111.8-27	Drinking Fountain	DF	9:05	EZFSTL8_1B		
111.8-28	Drinking Fountain	DF	9:05	EZFSTL8_1B		
111.8-29	RM 301	S	9:09	NA		
111.8-30	RM 301	S	9:09	NA		
111.8-31	RM 213	S	9:15	NA		
111.8-32	RM 213	B	9:15	NA		
111.8-33	RM 214	S	9:19	NA		
111.8-34	RM 214	B	9:19	NA		
111.8-35	Drinking Fountain	DF	9:21	EZFSTL8_1B		
111.8-36	Drinking Fountain	DF	9:21	EZFSTL8_1B		

Notes:  
 Please e-mail lab results to labs@stohlenv.com

Sampled By: Pete Zaffram Print Name Pete Zaffram Stohl Env: Pete Zaffram Date: 9/24/2016  
 Relinquished By: Eric Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 9/27/2016  
 Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 QA/QC Review (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
 4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219  
 ☎ (716) 312-0070 ■ (716) 312-8092  
 www.stohlenvironmental.com

Submitted to: (Lab Name) Schneider

STOHL Job # 2016L-111.8

Client: Niagar Falls CSD

Contact: Dave Spacone

Building: Niagara St. Elem.

Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
 Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X

Turnaround  
5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-37	RM 211	S	9:23	NA		
111.8-38	RM 211	B	9:23	NA		
111.8-39	RM 209	S	9:25	NA		
111.8-40	RM 209	B	9:25	NA		
111.8-41	RM 212	S	9:27	NA		
111.8-42	RM 212	B	9:27	NA		
111.8-43	RM 210	S	9:28	NA		
111.8-44	RM 210	B	9:28	NA		
111.8-45	RM 207	S	9:30	NA		
111.8-46	RM 207	B	9:30	NA		
111.8-47	RM 205	S	9:32	NA		
111.8-48	RM 205	B	9:32	NA		
111.8-49	RM 208	S	9:33	NA		
111.8-50	RM 208	B	9:33	NA		
111.8-51	RM 200	S	9:35	NA		
111.8-52	RM 200	B	9:35	NA		
111.8-53	RM 203	S	9:36	NA		
111.8-54	RM 203	B	9:36	NA		

Notes:  
 Please e-mail lab results to labs@stohlenv.com

Sampled By: PETE ZAFFRAM Print Name Pete Zaffram Stohl Env: Pete Zaffram Date: 9/24/2016

Relinquished By: E. Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 9/27/2016

Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

QA/QC Review (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219  
☎ (716) 312-8070 ☎ (716) 312-8092  
www.stohlienvironmental.com

Submitted to: (Lab Name) Schneider

STOHL Job # 2016L-111.8

Client: Niagar Falls CSD

Contact: Dave Spacone

Building: Niagara St. Elem.

Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X

*Turnaround*  
5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-55	Bathroom 204	S	9:39	NA		
111.8-56	Bathroom 205	S	9:39	NA		
111.8-57	RM 202	S	9:41	NA		
111.8-58	Bathroom 201B	S	9:42	NA		
111.8-59	Bathroom 201A	S	9:42	NA		
111.8-60	RM 131	S	9:49	NA		
111.8-61	RM 131	B	9:49	NA		
111.8-62	RM 130	S	9:54	NA		
111.8-63	RM 130	B	9:54	NA		
111.8-64	RM 129	S	9:55	NA		
111.8-65	RM 129	B	9:55	NA		
111.8-66	RM 127	S	9:56	NA		
111.8-67	RM 127	B	9:56	NA		
111.8-68	RM 128	S	10:00	NA		
111.8-69	RM 128	B	10:01	NA		
111.8-70	RM 126	S	10:02	NA		
111.8-71	RM 126	B	10:02	NA		
111.8-72	RM 125	S	10:05	NA		

Notes:  
Please e-mail lab results to labs@stohienv.com

Sampled By: PETE ZAFFRAM Print Name Stohl Env: Pete Zaffram Date: 9/24/2016

Relinquished By: E. Henderson Jr. Print Name Stohl Env: Eric Henderson Jr. Date: 9/27/2016

Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

QA/QC Review (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_





# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
 4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219  
 ☎ (716) 312-0070 ■ (716) 312-8092  
 www.stohlenvironmental.com

Submitted to: (Lab Name) Schneider  
 STOHL Job # 2016L-111.8

Client: Niagar Falls CSD Contact: Dave Spacone  
 Building: Niagara St. Elem. Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
 Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X Turnaround  
5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-73	RM 125	B	10:05	NA		
111.8-74	RM 123	S	10:06	NA		
111.8-75	RM 123	B	10:06	NA		
111.8-76	RM 124	S	10:09	NA		
111.8-77	RM 124	B	10:09	NA		
111.8-78	RM 103	S	10:17	NA		
111.8-79	RM 103	S	10:17	NA		
111.8-80	RM 103C	S	10:17	NA		
111.8-81	RM 105	S	10:20	NA		
111.8-82	Womens 107	S	10:21	NA		
111.8-83	Mens 108	S	10:21	NA		
111.8-84	RM 111A	S	10:25	NA		
111.8-85	Gym	DF	10:28	EZFSTL8_1B		
111.8-86	Gym	DF	10:28	EZFSTL8_1B		
111.8-87	Adj. Gym	DF	10:30	EZFSTL8_1B		
111.8-88	Adj. Gym	DF	10:30	EZFSTL8_1B		
111.8-89	C116	S	10:34	NA		
111.8-90	C115	S	10:34	NA		

Notes:  
 Please e-mail lab results to labs@stohienv.com

Sampled By: PETE ZAFFRAM Print Name Stohi Env: Pete Zaffram Date: 9/24/2016  
 Relinquished By: E. Henderson Jr. Print Name Stohi Env: Eric Henderson Jr. Date: 9/27/2016  
 Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 QA/QC Review (Name): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
 4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219  
 (716) 312-0070 (716) 312-8092  
 www.stohlenvironmental.com

Submitted to: (Lab Name) Schneider

STOHL Job # 2016L-111.8

Client: Niagar Falls CSD

Contact: Dave Spacone

Building: Niagara St. Elem.

Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
 Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X

*Turnaround*  
5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-91	C115	S	10:34	0		
111.8-92	C118	S	10:37	0		
111.8-93	C119	S	10:37	0		
111.8-94	C 119	S	10:37	0		
111.8-95	C 122 Girls Room	S	10:42	0		
111.8-96	C 122 Girls Room	S	10:42	0		
111.8-97	C 122 Girls Room	S	10:42	0		
111.8-98	C 122 Girls Room	S	10:42	0		
111.8-99	C 122 Girls Room	S	10:42	0		
111.8-100	C 122 Girls Room	S	10:42	0		
111.8-101	Drinking Fountain	DF	10:43	EZFSTL8_1B		
111.8-102	Drinking Fountain	DF	10:43	EZFSTL8_1B		
111.8-103	C 124 Men's room	S	10:46	0		
111.8-104	C 124 Men's room	S	10:46	0		
111.8-105	C 124 Men's room	S	10:46	0		
111.8-106	C 124 Men's room	S	10:46	0		
111.8-107	C 124 Men's room	S	10:47	0		
111.8-108	C 124 Men's room	S	10:47	0		

Notes:  
 Please e-mail lab results to labs@stohlenv.com  If checked, also e-mail results to: \_\_\_\_\_

Sampled By: PETE ZAFFRAM Print Name Pete Zaffram Stohl Env: Pete Zaffram Date: 9/16/2016  
 Relinquished By: E. Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 9/16/2016  
 Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 QA/QC Review (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
 4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219  
 ☎ (716) 312-0070 ■ (716) 312-8892  
 www.stohlenvironmental.com

Submitted to: (Lab Name) Schneider  
 STOHL Job # 2016L-111.8

Client: Niagar Falls CSD Contact: Dave Spacone  
 Building: Niagara St. Elem. Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
 Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X Turnaround  
5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-109	C 125	S	10:49	0		
111.8-110	C 111	S	10:59	0		
111.8-111	C110	S	10:59	0		
111.8-112	Kitchen	S	10:59	0		
111.8-113	Kitchen Bathroom	S	11:01	0		
111.8-114	Kitchen	S	11:08	0		
111.8-115	Kitchen	S	11:08	0		
111.8-116	Kitchen	S	11:08	0		
111.8-117	Kitchen	S	11:08	0		
111.8-118	Kitchen	S	11:09	0		
111.8-119	Kitchen	S	11:09	0		
111.8-120	Kitchen	S	11:09	0		
111.8-121	Kitchen	S	11:10	0		
111.8-122	Kitchen	S	11:11	0		
111.8-123	Kitchen	IM	11:13	0		
111.8-124	Drinking Fountain	S	11:16	0		
111.8-125	C104	D	11:18	0		
111.8-126	Dumpster area	HB	11:36	0		

Notes:  
 Please e-mail lab results to labs@stohlenv.com

Sampled By: PETE ZAFFRAM Print Name Stohl Env: Pete Zaffram Date: 9/16/2016  
 Relinquished By: Eric Henderson Jr. Print Name Stohl Env: Eric Henderson Jr. Date: 9/16/2016  
 Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 QA/QC Review (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



# Chain of Custody Document

ENVIRONMENTAL CONSULTANTS - A MEMBER OF THE STOHL GROUP OF COMPANIES  
 4169 ALLENDALE PKWY. BUFFALO, NEW YORK 14219  
 ☎ (716) 312-0070 ■ (716) 312-8092  
 www.stohlenvironmental.com

Submitted to: (Lab Name) Schneider

STOHL Job # 2016L-111.8

Client: Niagar Falls CSD

Contact: Dave Spacone

Building: Niagara St. Elem.

Location: 2513 Niagara St., Niagara Falls NY

**LEAD**  
 Water by AAS-GF: ASTM D3559-03D, US EPA 200.9 X

*Turnaround*  
5 Days

Sample #	Location	Outlet Type	Time	Cooler Model	Lab ID	Results
111.8-127	Generator area	HB	11:39	0		
111.8-128	Exterior 131	HB	11:43	0		
111.8-129	Exterior 127	HB	11:43	0		
111.8-130	Exterior Door 4	HB	11:46	0		
111.8-131	Outside RM 128	HB	11:48	0		
111.8-132	Exit Door 3	HB	11:49	0		
111.8-133	Exit Door 3	HB	11:50	0		
111.8-134	Outside RM 118	HB	11:53	0		
111.8-135	Outside gym	HB	11:54	0		
111.8-136	Outside Gym	HB	11:58	0		
111.8-137	Corner of Gym	HB	12:00	0		
111.8-138	Outside Exit 7	HB	12:01	0		
111.8-139	Outside Exit 7	HB	12:03	0		
111.8-140	Outside C101B	HB	12:03	0		

Notes:  
 Please e-mail lab results to labs@stohlenv.com

Sampled By: Pete Zaffram Print Name Pete Zaffram Stohl Env: Pete Zaffram Date: 9/16/2016

Relinquished By: Eric Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 9/16/2016

Received (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Sample Login (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Analysis (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

QA/QC Review (Name / Lab): \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Archived / Released: \_\_\_\_\_ QA/QC InterLAB Use: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_