



Environmental Hazards Services, L.L.C.
 7469 Whitepine Rd
 Richmond, VA 23237
 Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Report Number: 21-03-05632

Client: Stohl Environmental
 3860 California Road
 Orchard Park, NY 14127

Received Date: 03/25/2021
Reported Date: 04/21/2021
Sampled By: Paul Nichols
Tech Certification #:

Project/Test Address: 2020L-149.5; Kalfas Elementary School; 1800 Beech Ave; Niagara Falls, NY

Client Number:
 33-5980

Laboratory Results

Fax Number:
 716-312-8092

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
21-03-05632-001	149.5-3	03/19/2021	CR128	<1.00	04/21/2021	
21-03-05632-002	149.5-4	03/19/2021	CR127	<1.00	04/21/2021	
21-03-05632-003	149.5-5	03/19/2021	CR125	<1.00	04/21/2021	
21-03-05632-004	149.5-6	03/19/2021	CR126	<1.00	04/21/2021	
21-03-05632-005	149.5-7	03/19/2021	CR123	<1.00	04/21/2021	
21-03-05632-006	149.5-8	03/19/2021	CR124	<1.00	04/21/2021	
21-03-05632-007	149.5-9	03/19/2021	CR121	<1.00	04/21/2021	
21-03-05632-008	149.5-10	03/19/2021	CR122	<1.00	04/21/2021	
21-03-05632-009	149.5-11	03/19/2021	CR120	3.49	04/21/2021	
21-03-05632-010	149.5-12	03/19/2021	RESOURCE ROOM	1.02	04/21/2021	
21-03-05632-011	149.5-13	03/19/2021	CR118	2.10	04/21/2021	
21-03-05632-012	149.5-14	03/19/2021	CR117	<1.00	04/21/2021	
21-03-05632-013	149.5-15	03/19/2021	CR116	2.15	04/21/2021	

Environmental Hazards Services, L.L.C

Client Number: 33-5980

Report Number: 21-03-05632

Project/Test Address: 2020L-149.5; Kalfas Elementary School; 1800 Beech Ave; Niagara Falls, NY

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
21-03-05632-014	149.5-16	03/19/2021	CR115	5.70	04/21/2021	
21-03-05632-015	149.5-17	03/19/2021	CR114	<1.00	04/21/2021	
21-03-05632-016	149.5-18	03/19/2021	CR113	2.48	04/21/2021	
21-03-05632-017	149.5-19	03/19/2021	CR112	1.24	04/21/2021	
21-03-05632-018	149.5-20	03/19/2021	CR111	<1.00	04/21/2021	
21-03-05632-019	149.5-21	03/19/2021	STEM LAB	1.26	04/21/2021	
21-03-05632-020	149.5-22	03/19/2021	STEM LAB STOR	<1.00	04/21/2021	
21-03-05632-021	149.5-23	03/19/2021	STEM LAB BR	<1.00	04/21/2021	
21-03-05632-022	149.5-26	03/19/2021	CR109	<1.00	04/21/2021	
21-03-05632-023	149.5-27	03/19/2021	CR110	<1.00	04/21/2021	
21-03-05632-024	149.5-28	03/19/2021	CR107	<1.00	04/21/2021	
21-03-05632-025	149.5-29	03/19/2021	CR108	<1.00	04/21/2021	
21-03-05632-026	149.5-30	03/19/2021	CR105	6.04	04/21/2021	
21-03-05632-027	149.5-31	03/19/2021	CR106	2.04	04/21/2021	
21-03-05632-028	149.5-32	03/19/2021	HEALTH CLINIC	47.3	04/21/2021	
21-03-05632-029	149.5-33	03/19/2021	HEALTH CLINIC BR	12.6	04/21/2021	
21-03-05632-030	149.5-34	03/19/2021	FACULTY BR	1.50	04/21/2021	
21-03-05632-031	149.5-35	03/19/2021	FACULTY RM	2.63	04/21/2021	
21-03-05632-032	149.5-36	03/19/2021	BBR	<1.00	04/21/2021	
21-03-05632-033	149.5-37	03/19/2021	BBR	<1.00	04/21/2021	

Environmental Hazards Services, L.L.C

Client Number: 33-5980

Report Number: 21-03-05632

Project/Test Address: 2020L-149.5; Kalfas Elementary School; 1800 Beech Ave; Niagara Falls, NY

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
21-03-05632-034	149.5-38	03/19/2021	GBR	<1.00	04/21/2021	
21-03-05632-035	149.5-39	03/19/2021	GBR	<1.00	04/21/2021	
21-03-05632-036	149.5-42	03/19/2021	CAFETERIA	<1.00	04/21/2021	
21-03-05632-037	149.5-43	03/19/2021	KITCHEN RIGHT WALL HANDWASH	3.22	04/21/2021	
21-03-05632-038	149.5-44	03/19/2021	KITCHEN RIGHT TRIPLE SINK	<1.00	04/21/2021	
21-03-05632-039	149.5-45	03/19/2021	KITCHEN LEFT TRIPLE SINK	<1.00	04/21/2021	
21-03-05632-040	149.5-46	03/19/2021	KITCHEN SPRAYER	<1.00	04/21/2021	
21-03-05632-041	149.5-47	03/19/2021	KITCHEN ISLAND SINK MIDDLE	<1.00	04/21/2021	
21-03-05632-042	149.5-48	03/19/2021	KITCHEN KETTLE FILL	<1.00	04/21/2021	
21-03-05632-043	149.5-49	03/19/2021	KITCHEN BACKWALL HANDWASH	5.52	04/21/2021	
21-03-05632-044	149.5-50	03/19/2021	FACULTY BR	12.2	04/21/2021	
21-03-05632-045	149.5-51	03/19/2021	GIRLS LOCKER ROOM	<1.00	04/21/2021	
21-03-05632-046	149.5-53	03/19/2021	GIRLS PHYS ED OFFICE	9.24	04/21/2021	
21-03-05632-047	149.5-54	03/19/2021	BOYS PHYS ED OFFICE	25.4	04/21/2021	
21-03-05632-048	149.5-55	03/19/2021	BOYS LOCKER ROOM	<1.00	04/21/2021	
21-03-05632-049	149.5-64	03/19/2021	MAIN OFFICE KITCHENETTE	6.60	04/21/2021	
21-03-05632-050	149.5-65	03/19/2021	POT FILL NEAR STOVE	3.42	04/21/2021	
21-03-05632-051	149.5-66	03/19/2021	ICE MACHINE KITCHEN	<1.00	04/21/2021	
21-03-05632-052	149.5-67	03/19/2021	BACK ISLAND SINK	<1.00	04/21/2021	

Environmental Hazards Services, L.L.C

Client Number: 33-5980

Report Number: 21-03-05632

Project/Test Address: 2020L-149.5; Kalfas Elementary School; 1800 Beech Ave; Niagara Falls, NY

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
-------------------	------------------	-----------------	---------------------	--------------------------	---------------	--------------

Method: EPA 200.8
Analyst: Anthony Dee
Accreditation #: NY 11714

Reviewed By Authorized Signatory: *Melissa Kanode*

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



Chain of Custody Document

3860 California Road, Orchard Park, New York 14127
 PHONE (716) 312-0070 FAX (716) 312-8092
 WWW.STOHLENVIRONMENTAL.COM

Submitted to: (Lab Name) EHS
 STOHL Job # 2020L-149.5

Client: Niagara Falls CSD Contact: Earl Smeal
 Building: Kalfas Elementary School Location: 1800 Beech Ave. Niagara Falls, NY

LEAD
 Water by SM 19, 21 - 23 3113B (-04, -10) X Turnaround 20 Days

Sample #	Location	Outlet Type	Time
149.5-3	CR128	S	12:15
149.5-4	CR127	S	12:16
149.5-5	CR125	S	12:17
149.5-6	CR126	S	12:18
149.5-7	CR123	S	12:19
149.5-8	CR124	S	12:20
149.5-9	CR121	S	12:21
149.5-10	CR122	S	12:22
149.5-11	CR120	S	12:23
149.5-12	Resource Room	S	12:24
149.5-13	CR118	S	12:25
149.5-14	CR117	S	12:26
149.5-15	CR116	S	12:27
149.5-16	CR115	S	12:28
149.5-17	CR114	S	12:29
149.5-18	CR113	S	12:30
149.5-19	CR112	S	12:31
149.5-20	CR111	S	12:32

21-03-05632

Due Date:
 04/22/2021
 (Thursday)
 AE

Notes:
 Please e-mail lab results to labs@stohlenv.com If checked, also e-mail results to: Ehenderson@StohlEnv.com

Sampled By: Paul Nichols Print Name Paul Nichols Stohl Env: Paul Nichols Date: 3/19/2021
 Relinquished By: Eric Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 3/22/2021
 Received (Name / Lab): Traci Bloom Date: 3/25/21 Time: 4:30p
 Sample Login (Name / Lab): Traci Bloom / Jean Bloom Date: 4/8/21 Time: 10:11 AM
 Analysis (Name / Lab): Yong Oel Date: 4/14/21 Time: 6:09 AM
 QA/QC Review (Name / Lab): Melissa Date: 4/21/21 Time: 1pm
 Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

5632



Chain of Custody Document

3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Submitted to: (Lab Name) EHS
STOHL Job # 2020L-149.5

Client: Niagara Falls CSD Contact: Earl Smeal
Building: Kalfas Elementary School Location: 1800 Beech Ave. Niagara Falls, NY

LEAD
Water by SM 19, 21 - 23 3113B (-04, -10) X Turnaround 20 Days

Sample #	Location	Outlet Type	Time
149.5-21	STEM Lab	S	12:33
149.5-22	STEM Lab Stor.	S	12:34
149.5-23	STEM Lab BR	S	12:35
149.5-26	CR109	S	12:36
149.5-27	CR110	S	12:37
149.5-28	CR107	S	12:38
149.5-29	CR108	S	12:39
149.5-30	CR105	S	12:40
149.5-31	CR106	S	12:41
149.5-32	Health Clinic	S	12:42
149.5-33	Health Clinic BR	S	12:43
149.5-34	Faculty BR	S	12:44
149.5-35	Faculty Rm	S	12:45
149.5-36	BBR	S	12:46
149.5-37	BBR	S	12:47
149.5-38	GBR	S	12:48
149.5-39	GBR	S	12:49
149.5-42	Cafeteria	S	12:50

Notes:
Please e-mail lab results to labs@stohlenv.com Ehenderson@StohlEnv.com

Sampled By: Paul Nichols Print Name Paul Nichols Stohl Env: Paul Nichols Date: 3/19/2021

Relinquished By: Eric Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 3/22/2021

Received (Name / Lab): Tasham Date: 3/25/21 Time: 4:30

Sample Login (Name / Lab): Travis Bloom / Jani Bloom Date: 4/8/21 Time: 10:14 AM

Analysis (Name / Lab): Yancy O ee Date: 4/21/21 Time: 6:09 pm

QA/QC Review (Name / Lab): Murphy Date: 4/21/21 Time: 1 pm

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

5632



Chain of Custody Document

3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Submitted to: (Lab Name) EHS

STOHL Job # 2020L-149.5

Client: Niagara Falls CSD

Contact: Earl Smeal

Building: Kalfas Elementary School

Location: 1800 Beech Ave. Niagara Falls, NY

LEAD

Water by SM 19, 21 - 23 3113B (-04, -10) X

Turnaround

20 Days

Sample #	Location	Outlet Type	Time
149.5-43	Kitchen Right wall handwash	S	12:51
149.5-44	Kitchen Right Triple Sink	S	12:52
149.5-45	Kitchen Left Triple Sink	S	12:53
149.5-46	Kitchen Sprayer	S	12:54
149.5-47	Kitchen Island Sink Middle	S	12:55
149.5-48	Kitchen kettle Fill	S	12:56
149.5-49	Kitchen Backwall Handwash	S	12:57
149.5-50	Faculty BR	S	12:58
149.5-51	Girls Locker Room	S	12:59
149.5-53	Girls Phys Ed Office	S	13:00
149.5-54	Boys Phys Ed Office	S	13:01
149.5-55	Boys Locker Room	S	13:02
149.5-64	Main Office Kitchenette	S	13:03
149.5-65	Pot Fill near Stov	S	13:04
149.5-66	Ice Machine Kitchen	IM	13:05
149.5-67	Back island Sink	S	13:06

Notes:

Please e-mail lab results to labs@stohlenv.com

Ehenderson@StohlEnv.com

Sampled By: Paul Nichols Print Name Paul Nichols Stohl Env: Paul Nichols Date: 3/19/2021

Relinquished By: Eric Henderson Jr. Print Name Eric Henderson Jr. Stohl Env: Eric Henderson Jr. Date: 3/22/2021

Received (Name / Lab): T Asham Date: 3/25/21 Time: 4:30

Sample Login (Name / Lab): Trace Bloom / Paul Ben Date: 4/2/21 Time: 10:16 AM

Analysis (Name / Lab): Yang O Date: 4/14/21 Time: 6:09 AM

QA/QC Review (Name / Lab): Machin Date: 4/14/21 Time: 1 pm

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____